

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	540	717/140,163.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/31 11:17
L2	1	1 and (dynamic adj variable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/31 11:17
S1	0	(initializ\$3 with (dynamic adj variable)) same compiler same object and executable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:12
S2	0	(initializ\$3 with (dynamic adj variable)) same compiler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 07:20
S3	0	(initializ\$3 same (dynamic adj variable)) same compiler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 07:20
S4	891	dynamic adj variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 07:20
S5	78	(dynamic adj variable) and compiler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 07:37
S6	27	(source near2 file) and (dynamic near variable) and initializ\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 08:23
S7	8	(source near2 file) and (un\$1initialized near (variable OR value)) and (area near3 allocat\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 08:31
S8	19	(un\$1initialized near (variable OR value)) and (area near3 allocat\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 08:37

S9	84	(set\$3 near2 (initial adj value) same variable) and compil\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 12:27
S10	0	"63174130".URPN.	USPAT	OR	ON	2003/08/29 09:05
S11	0	(dynamic adj variable) same prior same compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 09:32
S12	1	(dynamic adj variable) same (prior OR before) same compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 09:34
S13	40	dynamic with area with specify\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 09:49
S14	1	717/140.ccls. and dynamic adj variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 10:28
S15	13	717/140.ccls. and (initializ\$3 near2 variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 11:10
S16	5	"717".clas. and (variable with assign with value with temporary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 11:13
S17	779	((assign same temporary same value) OR initializ\$5) and compile\$1 and (input near file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 11:14
S18	464	((((assign same temporary same value) OR initializ\$5) and compile\$1 and (input near file)) and dynamic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 11:14
S19	10	((((assign same temporary same value) OR initializ\$5) and compile\$1 and (input near file)) and dynamic adj variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 11:29

S20	211	717/140.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 11:30
S21	89	717/140.ccls. and dynamic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 11:44
S22	82	"717".clas. and un\$1initializ\$5 with (value OR variable OR object) and (source adj (code OR file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 12:15
S23	82	("717".clas. and un\$1initializ\$5 with (value OR variable OR object) and (source adj (code OR file))) and compil\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 11:48
S24	36	((("717".clas. and un\$1initializ\$5 with (value OR variable OR object) and (source adj (code OR file))) and compil\$3) and object adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 11:48
S25	103	un\$1initializ\$5 with (value OR variable OR object) and (source adj (code OR file)) and dynamic	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 13:01
S26	42	(un\$1initializ\$5 with (value OR variable OR object) and (source adj (code OR file)) and dynamic) and temporary	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 12:24
S27	4649	variable.ti. and dynamic	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 12:25
S28	773	variable.ti. and dynamic.ti.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 12:27
S29	2	(set\$3 near2 (initial adj value) same variable) and un\$1initializ\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 12:27
S30	0	"62256137".URPN.	USPAT	OR	ON	2003/08/29 12:28
S31	13	(initializ\$3 with (dynamic adj variable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 12:48

S32	18	(initializ\$5 with (dynamic adj variable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 12:58
S33	1	2002-072160.NRAN.	DERWENT	OR	OFF	2003/08/29 12:50
S34	1	2002-072160.NRAN.	DERWENT	OR	OFF	2003/08/29 12:51
S35	0	"2001325120".URPN.	USPAT	OR	ON	2003/08/29 12:51
S36	13	initialize\$3.ti. and variable\$1.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 12:58
S37	0	non\$1initializ\$5 with (value OR variable OR object) and (source adj (code OR file)) and dynamic	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 13:02
S38	7	pre\$1initializ\$5 with (value OR variable OR object) and (source adj (code OR file)) and dynamic	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/29 13:02
S39	9	(US-6427234-\$ or US-5764883-\$ or US-5758163-\$ or US-RE38104-\$ or US-6434742-\$ or US-6110227-\$ or US-6477702-\$).did. or (JP-62256137-\$ or JP-63174130-\$). did.	USPAT; JPO	OR	OFF	2003/09/02 11:57
S40	1	((US-6427234-\$ or US-5764883-\$ or US-5758163-\$ or US-RE38104-\$ or US-6434742-\$ or US-6110227-\$ or US-6477702-\$).did. or (JP-62256137-\$ or JP-63174130-\$). did.) and (integrat\$3 with memory)	USPAT; JPO	OR	OFF	2003/09/02 11:57
S41	0	((initial\$1value OR (initial adj value)) same enter\$3 same user same variable) and un\$1initialized	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 14:53
S42	38	((initial\$1value OR (initial adj value)) same enter\$3 same user same variable)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 15:06
S43	16	(initializ\$3 with variable) same user same enter same value	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 15:09
S44	10	enter same value same before same compiler	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 15:10

S45	150	(user\$1input OR (user adj input)) with variable with value	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 15:11
S46	23	((user\$1input OR (user adj input)) with variable with value) and compile\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 15:20
S47	14	(text adj2 file) with variable with value	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 15:26
S48	4	(before near2 compil\$5) same (initialize OR assign) same variable	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 15:27
S49	6	(pre near2 compil\$5) same (initialize OR assign) same variable	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 15:29
S50	21	debug\$4 with initial with value	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 15:58
S51	143	(initializ\$4 near3 variable) with user	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 15:38
S52	125	(initializ\$4 near3 variable) with user and computer	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 15:41
S53	23	(initializ\$4 near3 variable) with user and computer and compil\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 15:49
S54	4	((input adj file) with compiler) same initializ\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 15:50
S55	58	variable with initial with value with file	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 16:03
S56	382	compiler with input with file	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 16:03

S57	177	(compiler with input with file) and configuration	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 16:03
S58	14	compiler with input with file same configuration	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 16:16
S59	164	initializer with value	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 16:18
S60	25	(initializer with value) and compiler	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 16:25
S61	1	initializing adj process same compiler	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 16:54
S62	3720	"information processing apparatus". ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 16:57
S63	6	"information processing apparatus". ti. and takahara	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 17:10
S64	0	pre\$1initialized same variable same error same access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 17:10
S65	0	pre\$1initialized same variable same error	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 17:11
S66	9	pre\$1initialized same variable	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 17:21
S67	1	error same notice same variable same already same initialized	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 17:22

S68	2211	error with (initial adj2 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/03 11:36
S69	2211	(error with (initial adj2 value)) and (value OR variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/03 11:30
S70	971	(error with (initial adj2 value)) and variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/03 11:30
S71	119	((error with (initial adj2 value)) and variable) and (program near execut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/03 11:37
S72	118	(error with (initial adj2 value)) with variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/03 11:37
S73	7	((error with (initial adj2 value)) with variable) and (program near execut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/03 11:37
S74	86	(error with (initial adj2 value)) with variable	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/03 11:41
S75	31	(compiler OR debug\$4) same (execut\$3 near program) same variable same refer\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/03 11:46
S76	2	((compiler OR debug\$4) same (execut\$3 near program) same variable same refer\$3) and error and (initial adj2 value)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/03 11:50
S77	4	((compiler OR debug\$4) same (execut\$3 near program) same variable same refer\$3) and (initial adj2 value)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/03 11:50
S78	0	variable near "is not initialized"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/03 11:51

S79	57	variable near un\$1initialized	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/03 11:56
S80	37	(variable near un\$1initialized) and array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/03 11:56
S81	4	(US-6085029-\$ or US-5615369-\$ or US-5675803-\$ or US-6523097-\$). did.	USPAT	OR	OFF	2003/09/03 12:29
S82	0	((US-6085029-\$ or US-5615369-\$ or US-5675803-\$ or US-6523097-\$). did.) and (array same initialize)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/03 12:31
S83	2	array near2 un\$1initializ\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/03 12:32
S84	14	array same ((error OR error\$1check\$3) near (detect\$3 OR check\$3) same bounds same initializ\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/03 12:53
S85	36	array same (input adj file) same defin\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/03 12:53
S86	91	(specif\$7 with dynamic with variable) and compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 14:32
S87	252	dynamic with variable with allocat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 15:51
S88	9	(dynamic with variable with allocat\$4) same memory same area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 14:45
S89	6	((dynamic with variable with allocat\$4) same memory same area) and compil\$5 and link\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 14:51



S90	1	(dynamic adj variable) same source same compil\$5 same link\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 14:51
S91	8	(dynamic adj variable) same source and (compil\$5 same link\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 14:52
S92	8	((dynamic adj variable) same source) and (compil\$5 same link\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 14:52
S93	8	"6427234".URPN.	USPAT	OR	ON	2004/10/18 14:53
S94	16	("5768593"   "5937195"   "5970249"   "5999734"   "6011916"   "6014518"   "6044221"   "6072950"   "6073159"   "6077313"   "6078744"   "6085035"   "6113651"   "6189141"   "6223339"   "6253373").PN.	USPAT	OR	ON	2004/10/18 14:54
S95	32	(dynamic adj variable) with initial\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 15:24
S96	54	(dynamic adj variable).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 15:37
S97	4506	dynamic same static same variables	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 15:38
S98	57	(dynamic same static same variables) and compil\$5 and link\$3 and modules and object and (initializ\$5 near3 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 15:39
S99	228	(dynamic\$4 with variable) same compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 15:52

S10 0	73	((dynamic\$4 with variable) same compil\$5) and "717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 15:53
S10 1	20	((((dynamic\$4 with variable) same compil\$5) and "717".clas.) and (\$2initializ\$5 near2 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 15:53
S10 2	0	"6110227".URPN.	USPAT	OR	ON	2004/10/18 16:03
S10 3	19	("5293629"   "5339419"   "5375241"   "5535329"   "5555417"   "5579469"   "5581696"   "5584027"   "5613063"   "5613117"   "5675803"   "5802368"   "5835701"   "5838979"   "5854924"   "5884083"   "5901308"   "5956512"   "5978583").PN.	USPAT	OR	ON	2004/10/18 16:03
S10 4	9	memory with area with dynamic with variable with allocat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 16:09
S10 5	2775	dynamic\$4 adj allocation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 16:09
S10 6	402	(dynamic\$4 adj allocation) and compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 16:09
S10 7	302	((dynamic\$4 adj allocation) and compil\$5) and variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 16:09
S10 8	258	((((dynamic\$4 adj allocation) and compil\$5) and variable) and initial\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 16:10
S10 9	23	(((((dynamic\$4 adj allocation) and compil\$5) and variable) and initial\$7) and "717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 16:15
S11 0	7	"5586325".URPN.	USPAT	OR	ON	2004/10/18 16:14

S11 1	121	717/153.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 16:15
S11 2	10	717/153.ccls. and (dynamic same static same variables)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 16:16
S11 3	0	un\$1defined with variable with check\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 16:45
S11 4	0	un\$1defined with variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 16:45
S11 5	0	undefined with variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 16:45
S11 6	21	un\$1defined with variable with check\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 16:48
S11 7	8	(un\$1defined with variable with check\$3) and dynamic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 16:47
S11 8	498	un\$1defined with variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 16:51
S11 9	639	(un\$1defined OR un\$1initial\$7) with variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 16:55
S12 0	129	((un\$1defined OR un\$1initial\$7) with variable) and compil\$5 and dynamic and array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 16:49

S12 1	60	((un\$1defined OR un\$1initial\$7) with variable) and compil\$5 and dynamic and array) and ((default OR pre\$1determined OR base OR temporary) near2 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 16:50
S12 2	1	un\$1defined with variable with debug\$4 with error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 16:52
S12 3	3	un\$1defined with variable with debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 16:52
S12 4	11	(un\$1defined OR un\$1initial\$7 OR un\$1declared) with variable with debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 17:02
S12 5	516	variable with allocat\$3 with area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 17:02
S12 6	188	(variable with allocat\$3 with area) and dynamic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 17:02
S12 7	104	((variable with allocat\$3 with area) and dynamic) and compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 17:03
S12 8	20	((((variable with allocat\$3 with area) and dynamic) and compil\$5) and "717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 17:04
S12 9	1	debug\$4 with support with (un\$1defined OR un\$1initial\$7 OR un\$1declared) with variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 17:36
S13 0	1639	717/124-135.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 17:49

S13 1	3873	initializ\$5 with variable with value	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 17:37
S13 2	48	(initializ\$5 with variable with value) and 717/124-135.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 17:37
S13 3	34	((initializ\$5 with variable with value) and 717/124-135.ccls.) and dynamic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 17:37
S13 4	28	((((initializ\$5 with variable with value) and 717/124-135.ccls.) and dynamic) and static	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 17:37
S13 5	18	("5193180"   "5295260"   "5335344"   "5446900"   "5598553"   "5611043"   "5613063"   "5644709"   "5754839"   "5870606"   "5896536"   "5907709"   "5949972"   "5953530"   "6175913"   "6249907"   "6295613"   "6351845").PN.	USPAT	OR	ON	2004/10/18 17:39
S13 6	97	"5193180".URPN.	USPAT	OR	ON	2004/10/18 17:44
S13 7	97	717/124-135.ccls. and (variable with (pre\$1determined OR default OR dummy OR initial OR temporary OR base) with value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 17:52
S13 8	79	(717/124-135.ccls. and (variable with (pre\$1determined OR default OR dummy OR initial OR temporary OR base) with value)) and (un\$initialized OR un\$defined OR defined OR un\$1declared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 17:54
S13 9	11	((717/124-135.ccls. and (variable with (pre\$1determined OR default OR dummy OR initial OR temporary OR base) with value)) and (un\$initialized OR un\$defined OR defined OR un\$1declared)) and dynamic\$4 with allocat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 17:54

S14 0	24	((717/124-135.ccls. and (variable with (pre\$1determined OR default OR dummy OR initial OR temporary OR base) with value)) and (un\$initialized OR un\$defined OR defined OR un\$1declared)) and dynamic\$4 with (allocat\$5 OR variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 18:12
S14 1	0	(dynamic\$4 with allocated with array with initializ\$5) same debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 18:13
S14 2	0	(dynamic\$4 with allocated with array) same initializ\$5 same debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 18:13
S14 3	16	(dynamic\$4 with allocated with array) same initializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 18:13
S14 4	7248	"717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:12
S14 5	36	"717".clas. and (data with section with allocat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:12
S14 6	6	("717".clas. and (data with section with allocat\$4)) and (initial near2 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:13
S14 7	3	((("717".clas. and (data with section with allocat\$4)) and (initial near2 value)) and dynamic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:15
S14 8	2	(compiler with command) same (initial adj value) same (variable OR area OR initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:16

S14 9	3	(compiler with command) same (initial adj value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:16
S15 0	76	(compiler with command) and (initial adj value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:16
S15 1	81	(compiler with command) and (initial\$7 adj value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:16
S15 2	3	(compiler with command) same (initial\$7 adj value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:51
S15 3	7248	"717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:51
S15 4	24	"717".clas. and (dynamic adj variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:54
S15 5	0	pre\$1initializ\$5 with (dynamic adj variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:55
S15 6	21	initializ\$5 with (dynamic adj variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:05
S15 7	597	"717".clas. and (variable with initializ\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:06
S15 8	0	("717".clas. and (variable with initializ\$6)) and compiler and liker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:06

S15 9	117	("717".clas. and (variable with initializ\$6)) and compiler and linker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:06
S16 0	81	((("717".clas. and (variable with initializ\$6)) and compiler and linker) and area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:06
S16 1	42	((("717".clas. and (variable with initializ\$6)) and compiler and linker) and (area with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:08
S16 2	18	((("717".clas. and (variable with initializ\$6)) and compiler and linker) and (area with memory)) and (initializ\$6 with (memory OR area))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:09
S16 3	8	((("717".clas. and (variable with initializ\$6)) and compiler and linker) and (area with memory)) and (initializ\$6 with (memory OR area)) with value	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:10
S16 4	7	((("717".clas. and (variable with initializ\$6)) and compiler and linker) and (area with memory)) and (initializ\$6 with (memory OR area)) with value) and (un\$1defined OR un\$1initialized)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:15
S16 5	0	(un\$1defined OR un\$1initialized) with (dyanmic adj variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:15
S16 6	0	(un\$1defined OR un\$1initialized) with (run\$1time adj variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:16
S16 7	633	(un\$1defined OR un\$1initialized) with variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:17
S16 8	0	((un\$1defined OR un\$1initialized) with (run\$1time adj variable)) and (memory near2 area)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:17



S16 9	0	((un\$1defined OR un\$1initialized) with (run\$1time adj variable)) and (memory near3 area)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:17
S17 0	0	((un\$1defined OR un\$1initialized) with (run\$1time adj variable)) and (memory with area)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:17
S17 1	100	((un\$1defined OR un\$1initialized) with variable) and (memory near2 area)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:17
S17 2	40	((un\$1defined OR un\$1initialized) with variable) and (memory near2 area)) and "717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:18
S17 3	32	((un\$1defined OR un\$1initialized) with variable) and (memory near2 area)) and "717".clas.) and compil\$5 and link\$3 and initializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:20
S17 4	4	((un\$1defined OR un\$1initialized) with variable) and (memory near2 area)) and "717".clas.) and compil\$5 and link\$3 and initializ\$5) and (dynamic with variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:20
S17 5	34	debug\$4 same (dynamic adj variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:25
S17 6	5	(debug\$4 same (dynamic adj variable)) and "717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 16:25
S17 7	48	"4953084".URPN.	USPAT	OR	ON	2004/10/21 16:29
S17 8	21	"4953084".URPN. and dynamic	USPAT	OR	ON	2004/10/21 16:30
S17 9	2230	(dynamic adj (variable OR value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 16:17

S18 0	1112	dynamic adj variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 15:11
S18 1	100	(dynamic adj variable) and debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 15:26
S18 2	29	\$4initializ\$5 with (dynamic near2 variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 15:26
S18 3	13	(\$4initializ\$5 with (dynamic near2 variable)) and debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 15:42
S18 4	3	"5764883".URPN.	USPAT	OR	ON	2004/11/02 15:39
S18 5	6	("4720778"   "5390325"   "5394347"   "5490249"   "5513122"   "5600789").PN.	USPAT	OR	ON	2004/11/02 15:40
S18 6	16	"6085029".URPN.	USPAT	OR	ON	2004/11/02 15:41
S18 7	494	712/227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 15:42
S18 8	5	712/227.ccls. and (dynamic with variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 15:46
S18 9	18	("5193180"   "5295260"   "5335344"   "5446900"   "5598553"   "5611043"   "5613063"   "5644709"   "5754839"   "5870606"   "5896536"   "5907709"   "5949972"   "5953530"   "6175913"   "6249907"   "6295613"   "6351845").PN.	USPAT	OR	ON	2004/11/02 15:45
S19 0	6	(un\$1initialized adj (pointer OR variable)) with debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 15:50

S19 1	3	(un\$1initialized adj (pointer OR variable)) same (array with bounds)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 16:05
S19 2	14	(un\$1initialized adj (pointer OR variable)) and (array with bounds)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 16:06
S19 3	14	((un\$1initialized adj (pointer OR variable)) and (array with bounds)) and dynamic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 16:15
S19 4	2	"5,193,180".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 16:16
S19 5	141	(dynamic\$4 adj (variable OR value OR object OR memory)) with \$4initializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 16:18
S19 6	23	((dynamic\$4 adj (variable OR value OR object OR memory)) with \$4initializ\$5) and debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 16:18
S19 7	18	(US-4887220-\$ or US-4953084-\$ or US-5583988-\$ or US-5586325-\$ or US-5590329-\$ or US-5613063-\$ or US-5615369-\$ or US-5758163-\$ or US-5764883-\$ or US-6085029-\$ or US-6110227-\$ or US-6219834-\$ or US-6427234-\$ or US-6523097-\$ or US-6634020-\$ or US-6647547-\$). did. or (JP-62256137-\$ or JP-63174130-\$).did.	USPAT; JPO	OR	ON	2005/05/10 16:48
S19 8	13	((start\$3 with end\$3) OR rang\$3) with addresses) and ((dynamic adj variable) same initial\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:50
S19 9	39499	((start\$3 with end\$3) OR rang\$3) with addresses)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:50

S20 0	3	S197 and S199	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:00
S20 1	26	COMMON and FORTRAN and (dynamic adj variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:13
S20 2	61	COMMON and FORTRAN and (dynamic\$3 near2 variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:12
S20 3	2	COMMON and FORTRAN and (dynamic\$3 near2 variable) same initializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:12
S20 4	20	(relative with (start\$3 OR begin\$4) with address\$3) and (dynamic\$4 near2 variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 12:00
S20 5	37	("5107418"   "5193180"   "5313387"   "5335344"   "5355469"   "5361351"   "5432936").PN. OR ("5590329").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/11 11:50
S20 6	152	COMMON with fortran	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:40
S20 7	10	S206 and (dynamic\$4 near2 variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:40
S20 8	37	("5107418"   "5193180"   "5313387"   "5335344"   "5355469"   "5361351"   "5432936").PN. OR ("5590329").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 12:05
S20 9	37	("5107418"   "5193180"   "5313387"   "5335344"   "5355469"   "5361351"   "5432936").PN. OR ("5590329").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 12:29

S21 0	217	(initializ\$5 same memory same value) and (initializ\$5 with (heap OR dynamic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 12:33
S21 1	4	S210 and (dynamic near variable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 12:33